

Chassis - Spring Vices / Shock Absorbers



Chassis

Spring Vices / Shock Absorbers



Product applications

Safety spring vice database hazet.de \rightarrow Service \rightarrow Tool Finder \rightarrow Safety spring vice database

◆For Smartphones with QR reader (app)

4900 Safety spring vice basic unit

Made in Germany


Installing and removing the coil spring when changing shock absorbers

Suitable for around 200 different vehicle types

- Application: Coil spring when changing shock absorber (please note safety spring vice classification table on the Internet or in the tool catalogue)
- · Maximum span 309 mm
- · High capacity of 26000 N
- Suitable for impact operation, e.g. HAZET 9012 EL-SPC or 9012 MT in conjunction with impact socket HAZET 900 S-27 or 900 S Lg-27
- Closed system maintenance-free
- · Variable system thanks to easily replaceable tensioning jaws
- · Location bar for machinist's vice
- GS mark tested safety
- Tempered cylindrical and guiding tube
- · Forged and tempered tensioning jaws
- Also for spring strut with rebound spring in the shock absorber







4900 Safety spring vice set

Made in Germany

- · Suitable for impact wrenches
- Application: Installing and removing the coil spring when replacing shock absorbers
- · Closed system maintenance-free
- Variable system thanks to easily replaceable tensioning jaws
- Plastic inserts for the protection of the lacquered spring surfaces.
 This prevents spring damage due to corrosion
- · Location bar for machinist's vice
- 4900-2 A also for spring strut with rebound spring in the shock absorber
- · Maximum span: 309 mm
- High capacity of 26000 N
- GS mark tested safety
- · Tempered cylindrical and guiding tube
- Forged and tempered tensioning jaws










HAZET No.	#	EAN-No. 4000896+	
1 basic unit and 2 tensioning jaws 4900-11 Suitable for around 50 different vehicle types			
4900-2 A/3	3	149483	
• 1 Basic Appliance and 4 Tensioning Jaws (2x 4900-11 and 2x 4900-12). Suitable for approx. 100 different vehicle types			
4900-2 A/5	5	086054	







Chassis - Spring Vices / Shock Absorbers

Į.



4900 Tensioning jaw

Made in Germany

Application see classification table





H <u>AZET</u> No.	EAN-No. 4000896+
4900-10	059706
Plastic insert for protection of the lacquered spring surfaces preventing coil damage due to corrosion	
4900-100	061136

Made in Germany

Application see classification table





H <u>AZET</u> No.	EAN-No. 4000896+	
4900-11	059713	
Plastic insert for protection of the lacquered spring surfaces preventing coil damage due to corrosion		
4900-110	061143	

Made in Germany

Application see classification table





H <u>AZET</u> No.	EAN-No. 4000896+	
4900-12	059720	
Plastic insert for protection of the lacquered spring surfaces preventing coil damage due to corrosion		
4900-120	061150	

Made in Germany

Application see classification table



HAZET	EAN-No.
No.	4000896+
4900-13	059737

4900 Tensioning jaw

Made in Germany

Application see classification table



HAZET	EAN-No.
No.	4000896+
4900-14 A	064649

Made in Germany

Application see classification table



H <u>AZET</u>	EAN-No.
No.	4000896+
4900-15 A	121472

Made in Germany

Application see classification table



HAZET	EAN-No.
No.	400896+
4900-16	062164

Made in Germany

Application see classification table



HAZET	EAN-No.
No.	4000896+
4900-17	062171

Made in Germany

Application see classification table





HAZET No.	EAN-No. 4000896+	
4900-18	100378	
Plastic insert for protection of the lacquered spring surfaces preventing coil damage due to corrosion		
/Q00_180	07/1327	



Chassis - Spring Vices / Shock Absorbers

Į.



4900 Tensioning jaw

Made in Germany

Application see classification table



HAZET	EAN-No.
No.	400896+
4900-19	085842

Made in Germany

Application see classification table



HAZET	EAN-No.
No.	4000896+
4900-22	062188

Made in Germany

Application see classification table



HAZET	EAN-No.
No.	4000896+
4900-23	062195

Made in Germany

Application see classification table





HAZET No.	EAN-No. 4000896+
4900-24	062201
Spacer ring for the tensioning jaw	4900-24
· Especially advantageous if HAZE	T 4900-22 and -24 already exists
4000 243	162022

4900 Tensioning jaw

Made in Germany

Application see classification table



HAZET No.	EAN-No. 4000896+
 For driver's cabin with steel springs MERCEDES-BENZ Actros (MP-1) 1996 → · Atego 1998 → 	
4900-25	121670

Made in Germany

Application see classification table



HAZET No.	EAN-No. 4000896+
• For driver's cabin with steel springs MERCEDES-BENZ Actros (MP-1) 1996 → · Atego 1998 →	
4900-26	121687

Made in Germany

Application see classification table



HAZET	EAN-No.
No.	4000896+
4900-30	100514

Made in Germany

į.

Application see classification table





HAZET No. EAN-No. 4000896+		
4900-31	138036	
Plastic insert for protection of the lacquered spring surfaces preventing coil damage due to corrosion		
4900-310 167715		



Chassis - Spring Vices / Shock Absorbers



4900 Tensioning jaw

Made in Germany

Application see classification table



138043

4900 Tensioning jaw

Made in Germany

Application see classification table



EAN-No. 4000896+

167678

HAZET No.	EAN-No. 4000896+
4900-35	121212

4900 MERCEDES-BENZ tensioning jaw set

Made in Germany

With brake

HAZET No 4900-33

 Application: Operation of the coil springs of the front axle on MERCEDES-BENZ, type 204 (C-Class), type X 204 (GLK-Class), type 212 (E-Class with standard chassis) / type 212 (E-Class with sports chassis)

Application see classification table

- To be used together with HAZET Safety Spring Vice 4900-2A
- Safe positioning of the spring struts with pivot bearing
- · To be used together with HAZET safety spring vice 4900-2 A, suitable tensioning jaw, e.g. 4900-17 and suitable centring insert (choose according to vehicle type). Note: Please follow the instructions of the manufacturer)





HAZET No.

4900-39/11

YouTube Clip

Centring Insert for MERCEDES-BENZ, type 204 (C-Class) Use with HAZET safety spring vice 4900-2 A, tensioning jaw

4900-17 as well as round tensioning jaw with brake 4900-39/11 167722

Centring Insert for MERCEDES-BENZ, type X204 (GLK-Class)

Use with HAZET safety spring vice 4900-2 A, tensioning jaw 4900-17 and plastic spring protection insert 4900-120 as well as round tensioning jaw with brake 4900-39/11

167739

Centring insert for MERCEDES-BENZ, type

212 (E-Class) with standard chassis

• Use with HAZET safety spring vice 4900-2 A, tensioning jaw 4900-31 and plastic spring protection insert 4900-310 as well as round tensioning jaw with brake 4900-39/11

167746

Centring Insert for MERCEDES-BENZ, type 212 (E-Class) with sports chassis

Use with HAZET safety spring vice 4900-2 A, tensioning jaw 4900-17 as well as round tensioning jaw with brake 4900-39/11



